

INDEX

DAMAR

Pneumatic Staplers and Nailers	3 - 5
Pneumatic Impact Wrenches	6 - 7
Pneumatic Screwdrivers & Grinders	7 - 9



Pneumatic Staplers and Nailers	11
--------------------------------------	----



Pneumatic Connectors	13 - 17
Pneumatic Hoses	18 - 19
Pneumatic Filters & Regulators	20
Pneumatic Blow Guns	21



Pneumatic Staplers and Nailers	23
--------------------------------------	----



DAMAR pneumatic tools


Damar is an international brand, manufacturing and supplying tools in several industrial countries including China, Germany, Turkey, and Italy, that manufactures many pneumatic and cutting tools for workshops and industrial centers. Focusing on innovation, high quality, and cost-effectiveness, this corporation has offered various products in different fields, such as pneumatic and carpentry tools. The ever-increasing popularity of Damar productions among customers represents the high purchase value of these tools compared to their prices. By focusing on reducing manufacturing costs while maintaining the quality of products, Damar has become one of the biggest competitors to top brands in this industry, with some products being comparable to reputable global brand's productions. Damar products, such as pneumatic wrenches, pneumatic drills, air hammers, and pneumatic-die-grinder meet the needs of a wide range of workshops and industry demands. In this catalog, you will get familiar with the technical specifications, unique features, and specialized applications of each Damar pneumatic tool. This equipment uses compressed air to ensure a fast, stable, and reliable function. Damar is manufactured to meet international standards and is designed for use in demanding conditions.



• DAMAR / Pneumatic Stapler

DMQB-8016

Weight	0.9 Kg
Capacity	130 Staples
lengths	6 - 16 mm
Staple Dimensions	0.95 × 0.66 mm
Staple Gauge	21



• DAMAR / Pneumatic Nailer

DMQB-P635

Weight	0.95 Kg
Capacity	195 Pins
lengths	12 - 35 mm
Pin Shank Diameter	0.63 mm
Pin Gauge	23



• DAMAR / Pneumatic Nailer

DMQB-F50

Weight	1.3 Kg
Capacity	120 Brads
lengths	15 - 50 mm
Brad Dimensions	1.26 × 1.05 mm
Brad Gauge	18



• DAMAR / Pneumatic Nailer

F50-B

Weight	1.4 Kg
Capacity	100 Brads
lengths	15 - 50 mm
Brad Dimensions	1.26 × 1.05 mm
Brad Gauge	18

15 - 50 mm



• DAMAR / Pneumatic Nailer

T50

Weight	2.7 Kg
Capacity	100 Brads
lengths	18 - 50 mm
Brad Dimensions	1.6 × 1.4 mm
Brad Gauge	16

18 - 50 mm



• DAMAR / Pneumatic Nailer

ST64

Weight	3 Kg
Capacity	80 Brads
lengths	18 - 64 mm
Brad Dimensions	2.5 × 2.2 mm
Brad Gauge	14

18 - 64 mm



• DAMAR / Pneumatic Nailer

MP635

Weight	1 Kg
Capacity	100 Pins
lengths	10 - 35 mm
Pin Shank Diameter	0.63 mm
Brad Gauge	23



• DAMAR / Pneumatic Belt Sander

DM2162L

Free Speed	13000 RPM
Air Inlet	1/4"
Working Pressure	90 PSI
Sanding Pad	10 × 610 mm
Net Weight	1 Kg



• DAMAR / Pneumatic Impact Wrench

DM5278 (Twin Hammer Mechanism)

Maximum Torque	647 ft.lb / 880 Nm
Square Drive	1/2"
Capacity Bolt Size	3/4" (M19 mm)
Free Speed	7000 RPM
Air Inlet	1/4"
Air Consumption	5 CFM
Net weight	3.2 Kg



• DAMAR / Pneumatic Impact Wrench

DM5040 (Pin Clutch Mechanism)

Maximum Torque	236 ft.lb / 320 Nm
Square Drive	1/2"
Free Speed	7000 RPM
Air Inlet	1/4" PT
Net weight	2.4 Kg



• DAMAR / Pneumatic Impact Wrench

DM5030 (Butterfly Impact Wrench)

Maximum Torque	73 ft.lb / 100 Nm
Square Drive	3/8"
Free Speed	7000 RPM
Air Inlet	1/4"
Net weight	0.7 Kg



• DAMAR / Pneumatic Impact Wrench

34B01B6-3 (Twin Hammer Mechanism)

Maximum Torque	885 ft.lb / 1200 Nm
Square Drive	3/4"
Free Speed	4600 RPM
Air Inlet	3/8"
Net weight	5.2 Kg



• DAMAR / Pneumatic Straight Professional Die Grinder

DM1209

Free Speed	25000 RPM
Collet Size	6 mm
Working Pressure	90 PSI
Air Inlet	1/4"
Net weight	0.45 Kg



• DAMAR / Pneumatic Straight Professional Die Grinder

DM1210

Free Speed	23000 RPM
Collet Size	6 mm
Working Pressure	90 PSI
Air Inlet	1/4"
Air Consumption	4 CFM
Net Weight	0.64 Kg



• DAMAR / Pneumatic Die Grinder

SM7032M

Free Speed	25000 RPM
Collet Size	6 mm
Working Pressure	90 PSI
Air Inlet	1/4"
Net weight	0.4 Kg



• DAMAR / Pneumatic Die Grinder

DM7033M

Free Speed	22000 RPM
Collet Size	6 mm
Working Pressure	90 PSI
Air Inlet	1/4"
Net weight	0.5 Kg



• DAMAR / Pneumatic Screwdriver

DM4060A

Free Speed	10000 RPM
Maximum Torque	34 NM
Working Pressure	90 PSI
Air Inlet	1/4"



• DAMAR / Pneumatic Micro Grinder Kit

DM3170K2

Free Speed	54000 RPM
Collet Size	3 mm
Working Pressure	90 PSI
Air Inlet	1/4"
Net weight	0.2 Kg



• DAMAR / Pneumatic Micro Grinder

DM3170

Free Speed	54000 RPM
Collet Size	3 mm
Working Pressure	90 PSI
Air Inlet	1/4"
Net weight	0.2 Kg



• DAMAR / Pneumatic Angle Grinder

DM7037


Free Speed	11000 RPM
Pad Size	4"
Working Pressure	90 PSI
Air Inlet	1/4"
Net weight	0.45 Kg





ABD pneumatic tools


The Taiwanese brand ABD is one of the reputable and well-known manufacturers in the industrial tools, pneumatic, and construction industries. This large company, by utilizing cutting-edge knowledge and top experts in the field of technology, has been able to produce and offer a wide range of pneumatic tools, such as drills, staplers, large industrial tools, compressors, as well as the necessary parts for using these products, with high quality and competitive, affordable prices to the market. All products of this company are manufactured using first-grade raw materials and in compliance with global standards, and are exported to various countries. ABD continuously develops and improves its products based on market needs and customer feedback. The main feature of this brand's products is their long lifespan, which has earned customers' trust in the company.



• ABD / Pneumatic Stapler

ABD FS8016B


Weight	0.9 Kg
Capacity	140 Staples
lengths	4 - 16 mm
Staple Dimensions	0.95 × 0.66 mm
Staple Gauge	21



• ABD / Pneumatic Stapler

ABD FS8016C


Weight	0.9 Kg
Capacity	140 Staples
lengths	4 - 16 mm
Staple Dimensions	0.95 × 0.66 mm
Staple Gauge	21



• ABD / Pneumatic Long Nose Stapler

ABD FS8016LN


Weight	1.1 Kg
Capacity	140 Staples
lengths	6 - 16 mm
Staple Dimensions	0.95 × 0.66 mm
Staple Gauge	21





THB pneumatic tools

TBH is one of the greatest brands in the world manufacturing various industrial and specialized products in Taiwan. This large company was founded in 1988, and since then, by focusing on designing and manufacturing assorted high-quality products, including FRL combinations, air compressor components, quick couplers, air hoses, and pneumatic tools, it has established itself as one of the reputable brands in this field. This company is committed to producing top-quality products for professional pneumatic applications, based on principles of innovation, steady improvement, and best quality. TBH can manufacture products that meet customer's expectations, utilizing advanced technology and modern machinery. THB is granted many certifications and patents, such as ISO, UL/CUL, and ASME certifications, this brand intends to become one of the world's leading suppliers of compressed air systems accessories.



• THB / Pneumatic Plug Nose Stapler

20PFA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/4"
Material	Steel



• THB / Pneumatic Quick Coupling

20SHA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/4"
Material	Steel



• THB / Pneumatic Quick Coupling

30SHA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	3/8"
Material	Steel



• THB / Pneumatic Quick Coupling

20SMA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/4"
Material	Steel



• THB / Pneumatic Quick Coupling

40SMA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/2"
Material	Steel



• THB / Pneumatic Quick Coupling

40SPT

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/2"
Material	Steel



• THB / Pneumatic Quick Coupling

20SFA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/4"
Material	Steel



• THB / Pneumatic Quick Coupling

40SFA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/2"
Material	Stainless Steel



• THB / Pneumatic Plug

20PPA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/4"
Material	Steel



• THB / Coupling

SMVT

Material	Aluminum
Working Pressure	218 PSI (15 Bar / 1.5 Mpa)
Maximum Pressure	290 PSI (20 Bar / 2 Mpa)
Temperature Range	-20°C ~ +80°C
Port Size	1/2" PT
Input Port Size	1/4" PT
OutPut Port Size	1/4" PT



• THB / Coupling

SMYT

Material	Aluminum
Working Pressure	218 PSI (15 Bar / 1.5 Mpa)
Maximum Pressure	290 PSI (20 Bar / 2 Mpa)
Temperature Range	-20°C ~ +80°C
Port Size	1/2" PT
Input Port Size	1/4" PT
OutPut Port Size	1/4" PT



• THB / Coupling

40SPA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/2"
Material	Steel



- THB / Coupling

20PHA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	1/4"
Material	Steel



- THB / Coupling

30PHA

Working Pressure	218 PSI (15 Bar / 1.5 MPa)
Maximum Pressure	290 PSI (20 Bar / 2 MPa)
Temperature Range	-20°C ~ +80°C
Size	3/8"
Material	Steel



- THB / Recoil PU Hose

HPUA0812-5m

Inner Diameter	8 mm
Outer Diameter	12 mm
Length	5 m



- THB / Recoil PU Hose

HPUA0508-5m

Inner Diameter	5 mm
Outer Diameter	8 mm
Length	5 m



- THB / Recoil PU Hose

HPUA0812-10m

Inner Diameter	8 mm
Outer Diameter	12 mm
Length	10 m



- THB / Recoil PU Hose

HPUA1216-10m

Inner Diameter	12 mm
Outer Diameter	16 mm
Length	10 mm



- THB / Recoil PU Hose

HPUA0508-10m

Inner Diameter	5 mm
Outer Diameter	8 mm
Length	10 m



- THB / Recoil PU Hose

HPUA0508-15m

Inner Diameter	5 mm
Outer Diameter	8 mm
Length	15 m



- THB / Recoil PU Hose

HPUA0812-15m

Inner Diameter	8 mm
Outer Diameter	12 mm
Length	15 m



- THB / Pneumatic Filter - Regulator, Lubricator

FRL894

Port Size	1/2"
Proof Input Pressure	215 PSI
Proof Output Pressure	145 PSI
Max Flow (L/min)	3000
Operating Temperature	5°C ~ 60°C
Drain Capacity	80 ml
Oil Capacity	150 ml
Minimum Dripping Flow Rate	50 L / min (ANR)



- THB / Pneumatic Filter - Regulator, Lubricator

FRL892

Port Size	1/4"
Proof Input Pressure	215 PSI
Proof Output Pressure	145 PSI
Max Flow (L/min)	1750
Operating Temperature	5°C ~ 60°C
Drain Capacity	80 ml
Oil Capacity	150 ml
Minimum Dripping Flow Rate	30 L / min (ANR)



- THB / Pneumatic Tire Pressure Gauge

FR894

Port Size	1/2"
Proof Input Pressure	215 PSI
Proof Output Pressure	145 PSI
Max Flow (L/min)	3000
Operating Temperature	5°C ~ 60°C
Drain Capacity	80 ml
Minimum Dripping Flow Rate	50 L / min (ANR)



- THB / Pneumatic Filter - Regulator

B24A 3

Port Size	1/4"
Maximum Pressure	232 PSI (16 Bar / 1.6 MPa)
Temperature Range	-20°C ~ +80°C
Nozzle Length	85 cm
Pressure Gauge	2.5"



• THB / Pneumatic Blow Gun

B93B


Port Size	1/4"
Nozzle Length	12 cm
Nozzle	8 mm
Maximum Pressure	213 PSI (15 Bar / 1.5 Mpa)



• THB / Pneumatic Blow Gun

B3C

Nozzle Length	100 cm
Nozzle	8 mm
color	Blue



• THB / Pneumatic Blow Gun

B3A

Nozzle Length	cm
Nozzle	8 mm
color	Blue



• THB / Pneumatic Blow Gun


B13A

Port Size	1/4"
Nozzle Length	10 cm
Maximum Pressure	175 PSI (12 Bar / 1.2 Mpa)
color	Blue
Body Material	POM



PAG pneumatic tools


PAG is a well-known Taiwanese brand in industrial equipment and pneumatic tools that has achieved a special position in the global and Iranian markets by offering high-quality and practical products. This company constantly strives to design and manufacture products that meet the current needs of the industry by utilizing specialized engineers and experienced experts. PAG products are highly diverse, offering customers good quality and reasonable prices. These features have made PAG products particularly popular among industry customers. The ease of use of these tools, even for beginners, is another advantage of this brand's products. This company constantly strives to add new and practical products to its inventory through precise planning and anticipating future needs.



• PAG / Pneumatic Nailer

PA T-64


Weight	2.7 Kg
Capacity	100 Brads
lengths	15 - 64 mm
Brad Dimensions	2.5 × 2.2 mm
Brad Gauge	14



• PAG / Pneumatic Nailer

PA TIPO-64

Weight	2.2 Kg
Capacity	100 Brads
lengths	19 - 64 mm
Staple Dimensions	1.6 × 1.4 mm
Brad Gauge	16



• PAG / Pneumatic Nailer

TR6017

Blind Rivet Setting Capacity	3/16" , 5/32" , 1/4" , 9/32"
Traction Power	3300 lbs / 1500 Kgs
Stroke Length	11/16" / 18 mm
Air Inlet	1/4"
Working Pressure	90 PSI
Air Consumption	0.11 Cfm
Net Weight	2.4 Kg



